

Date tehnice pentru produs: BK0852032F

Ramă plastic+ușă transp.+insert 1 rând. 36/42UH (module)

Pentru cuva BK0850032A (caramida) sau BK0850532A (gipscarton). Borniere incluse. ABS, halogen free, IP40, clasa de protecție II, RAL 9003



SCHRACK-Info

- 1- to 4-row frames with transparent plastic door
- Series BK085
- DIN-rails and module cover included
- For completion, one wall box is necessary:
 - 1- to 4-row for solid wall or partition wall
- Material Frame + Door: 1mm ABS
- Protection class: II
- Degree of protection: IP40
- Impact resistance: IK07
- Frame: RAL 9003 (Signal white)
- Door: Transparent




Fișe tehnice

Fișe tehnice - Continuare

Lățime netă (mm)	346,00
Înălțime (mm)	592,00
Adâncime netă (mm)	36,00
Masă netă (kg.)	2,00
COD EAN	9004840890068
disipare (W)	-44,00
Temperatura minimă a mediului ambiant (°C)	-25
Temperatura maximă a mediului ambiant (°C)	60
Fără halogen	Yes
grad de protecție	IP40
Clasă de protecție	2
Rezistentă la impact	IK07

Dimensions Frame with Plastic Door Transparent



Descriere	Cod comandă
Ramă plastic+ușă transp.+insert 1 rând. 36/42UH (module) Pentru cuva BK0850032A (caramida) sau BK0850532A (gipscarton). Borniere incluse. ABS, halogen free, IP40, clasa de protecție II, RAL 9003	BK0852032F