

Date tehnice pentru produs: BK0852042F

Ramă plastic+ușă transp.+insert 4 rând.

48/56UH (module)

Pentru cuva BK0850042A (caramida) sau BK0850542A (gipscarton). Borniere incluse. ABS, halogen free, IP40, clasa de protecție II, RAL 9003



SCHRACK-Info

- 1 - to 4-row frames with transparent plastic door
- Series BK085
- DIN-rails and module cover included
- For completion, one wall box is necessary:
 - 1 - to 4-row for solid wall or partition wall
- Material Frame + Door: 1mm ABS
- Protection class: II
- Degree of protection: IP40
- Impact resistance: IK07
- Frame: RAL 9003 (Signal white)
- Door: Transparent



Fișe tehnice

Fișe tehnice - Continuare

Lățime netă (mm)	347,00
Înălțime (mm)	717,00
Adâncime netă (mm)	36,00
Masă netă (kg.)	3,00
COD EAN	9004840937961
disipare (W)	-60,00
Temperatura minimă a mediului ambiant (°C)	-25
Temperatura maximă a mediului ambiant (°C)	60
Fără halogen	Yes
grad de protecție	IP40
Clasă de protecție	2
Rezistentă la impact	IK07

Descriere

Cod comandă

Ramă plastic+ușă transp.+insert 4 rând. 48/56UH (module)

Pentru cuva BK0850042A (caramida) sau BK0850542A (gipscarton). Borniere incluse. ABS, halogen free, IP40, clasa de protecție BK0852042F II, RAL 9003