

Date tehnice pentru produs: EV211017--

Întrerupător cap-scară+priză PE capac, 16A, m oriz, PT, IP54

Cleme elastice



Schrack-Info

Robust surface-mounted switch socket outlets Combination of durable and weather-resistant, fibreglass-reinforced thermoplastic material. Switch and socket are IP54 splash-proof and provide additional protection against dust. Furthermore, they are resistant to chemicals and elevated temperatures and at the same time have a high impact strength (IK05). Inside the switch there is already a connected quick connection terminal for the earthing connection, which allows an even easier connection. Up to three cables can be routed through the sealing diaphragm both above and below the switch.




Fișe tehnice

Lungime (mm)	168,00
Lățime netă (mm)	74,00
Înălțime (mm)	60,00
Masă netă (kg.)	0,21
Serie	05-VISIO IP54
Tipul produsului	Comutator
Tensiune de alimentare AC (V)	230
Curent comutat (AX)	10

Fișe tehnice - Continuare

Montaj	Wall-mounted
Metodă de montaj	Cu șurub
grad de protecție	IP54
Culoare	Gri
Tip conexiune	Cleme cu element elastic
Cabluri permise	Rigid
Secțiune permisă (mm ²)	1,5 und 2,5
Material	ABS cupru
Mediu înconjurător	Fără halogen
Sustenabilitate	ROHS
test mark	VDE
Dimensiuni (mm)	168x74x56

Abmessungen (mm)



Tabel articole

Descriere	Cod comandă
Înterupător cap-scară+priză PE capac, 16A, m oriz,PT,IP54	EV211017
Cleme elastice	
Accesorii opționale	
Adaptor pentru extintere pe verticala IP54	EV217002