






Date tehnice pentru produs: HSELS240LS

Splicebox FO gol pt 12 cupluri LC-Duplex, 1U, negru

doar carcasa



SCHRACK-Info

These spliceboxes comprise an upper enclosure section, a pull-out tray and 2 depth-adjustable 19" brackets. Pull-out trays are locked via two knurled screws for 12 LC Duplex couplers

Cable-entry:

- Four break-away style openings for M20 cable-gland
- One break-away style opening for optional available cable strain-relief (HSELSFTTDM)

Material: zinc-coated steel

Installation: 19", 1U



Dimensions WxHxD: 483x44x240mm

Color: black

Fișe tehnice

Lățime netă (mm)	482,50
Înălțime (mm)	43,60
Adâncime netă (mm)	211,50
Masă netă (kg.)	2,70
Culoare	RAL 9005 (negru)
Temperatura minimă a mediului ambiant (°C)	-10
Temperatura maximă a mediului ambiant (°C)	70
Produs	carcase goale

Dimension drawing



Tabel articole

Descriere	Cod comandă
Splicebox FO gol pt 12 cuplori LC-Duplex, 1U, negru doar carcasa	HSELS240LS
Accesorii opționale	
Casetă sudură FO, fără capac și organizator, stacabilă, albă stackable, white, PREMIUM	HSELSZSK01
Organizator sudură FO 6 tuburi termo, negru, pt HSELSZSK01 black, suitable for splice cassette HSELSZSK01, PREMIUM	HSELSZSK02
Capac casetă de sudură fibră optică, alb, pt HSELSZSK01 PREMIUM	HSELSZSK03
Balama, albastră, pentru HSELSZSK01 PREMIUM	HSELSZSK04
Organizator sudura FO pt 12 tuburi termo (HELSP0001x) negru, potrivit pentru caseta de sudură HSELSZSK01	HSELSZSK05
Tub termocontractibil 60mm pentru fibră optică LVZ0007	HELSP00011
Cable gland M20 LVZZKVS20	HELSP00012
Presetupă din poliamidă M20x1.5	M270020
Contrapiuliță din poliamidă M20x1.5	M271020
Mască oarbă pentru decupaj LC-dx/SC-Sx negru (25 buc)	HLZPZKBX02
Cuplor LC-duplex FO Multimode, plastic, phbr, Snap-in, gri without flange, inner shutter, grey, PREMIUM	HMOLO00011
Cuplor FO LC-Duplex, Plastic, OS2, ceramic, flanșă albastru, CLASSIC	HSELSK09LP
Pigtail FO LC, 50/125µm OM4, 2.0m, Easy Strip, 4pcs colorat conform IEC 60304, CLASSIC	HLP04L042P
Pigtail FO LC, 9/125µm OS2, 2.0m, Easy Strip, 4pcs colorat conform IEC 60304, CLASSIC	HLP09L042P
Pigtail FO LC, 9/125µm OS2, 2.0m, Easy Strip, 8pcs colorat conform IEC 60304, CLASSIC	HLP09L082P
Pigtail FO LC, 9/125µm OS2, 2.0m, Easy Strip, 12pcs colorat conform IEC 60304, CLASSIC	HLP09L122P
Cuplor FO LC/APC-Duplex, Plastic, OS2, ceramic, flanșă verde, CLASSIC	HSELSK09MP
Cuplor FO LC-Duplex, Plastic, OM3, ceramic, flanșă aqua, CLASSIC	HSELSK03LP