





Date tehnice pentru produs: HSELS245FG

Splicebox, 24 fibre, FC, 50/ 125µm OM2, culisant, 19", 1UV

complet echipat



SCHRACK-Info

FO splice box extendable with quick release fastener and equipped with Grade B pigtails for splicing FO cables. The pull-out depth of 20 cm ensures easy access to the couplings. Furthermore the box can be set back by 40 mm. A possibility for the sloping input of section cables is integrated.

Properties Housing:

- 19", 1 U installation, extendable
- incl. Depth adjustment
- front panel and side parts powder-coated
- colour: grey, RAL7035
- Lid metallic glossy
- Central screw bolt for fixing up to 4 splice cassettes
- Box can be tilted downwards when open


Standards:

50173-1, EN 61300-3-6, EN 61300-3-86

Fișe tehnice

Lățime netă (mm)	482,50
Înălțime (mm)	43,60
Adâncime netă (mm)	211,50
Masă netă (kg.)	2,70
Culoare	Gri deschis
Temperatura minimă a mediului ambiant (°C)	-10
Temperatura maximă a mediului ambiant (°C)	70
Fibră	50/125μ OM2 multimode
Număr fibre	24
Cuplor	FC

Dimension drawing



Tabel articole

Descriere	Cod comandă
Splicebox, 24 fibre, FC, 50/125µm OM2, culisant, 19", 1 UV complet echipat	HELS245FG
Accesorii opționale	
Tub termocontractibil 60mm pentru fibră optică LVZ0007	HELSP00011
Tub termocontractibil 40mm pentru fibră optică LVZ0006	HELSP00010
Patchcablu duplex, FC/FC, 50/125µm OM2 2m	HLP25FF02F
Patchcablu duplex, FC/FC, 50/125µm OM2 5m	HLP25FF05F
Patchcablu duplex, SC/FC, 50/125µm OM2 2m	HLP25CF02F
Patchcablu duplex, SC/FC, 50/125µm OM2 5m	HLP25CF05F
Patchcablu duplex, ST/FC, 50/125µm OM2 2m	HLP25TF02F
Patchcablu duplex, LC/FC, 50/125µm OM2 2m	HLP25LF02F
Patchcablu duplex, LC/FC, 50/125µm OM2 5m	HLP25LF05F