

Date tehnice pentru produs: IUKTS6201A

Unitate racire 1kW, montaj exterior, seria DTS

230V, IP55, RAL 7035



SCHRACK-Info

General:

- Cooling unit for outer mounting on the door or side (=DTS)
- Compact design for smaller enclosures or to cool hot spots
- Technical design with a standard controller
- Color: RAL 7035 (Light grey)

IUKTS6201:

- Cooling performance: 1000W
- Rated voltage: 230V
- Very high energy efficiency ratio (EER)
- Service friendly due to direct access to the PCB and the fans, thus 80 % shorter repair times
- Type of connection: Spring-type terminal included with plug
- Degree of protection IP55: Towards the enclosure
- Degree of protection IP34: Towards the surroundings

Fișe tehnice


Lățime netă (mm)

399,00


Fișe tehnice - Continuare

Înălțime (mm)	966,00
Adâncime netă (mm)	244,00
Masă netă (kg.)	40,00
Temperatura minimă a mediului ambiant (°C)	15
Temperatura maximă a mediului ambiant (°C)	55
grad de protecție	IP55
Clasă de protecție	I
Tensiune nominală	230V-AC
Categorie produs	Unitate de răcire
Putere răcire (W)	1000

Kennlinien Kühlleistung



Dimensions and Cutout IUKTI6201A



Descriere	Cod comandă
Unitate racire 1kW, montaj exterior, seria DTS 230V, IP55, RAL 7035	IUKTS6201A