


Date tehnice pentru produs: LID12400--

Marra LED banda 19,2W/m 1728lm/W 930 IP20 24VDC dim 120° 5m **ECONOMY**



Detalii produs

Flexible LED light strip, with SMD2216 LEDs, 238LEDs/meter, 19,2W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 2,95cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.




Fișe tehnice

Culoare lumină	alb cald
Temperatura culorii (K)	3000
Indice redare culoare	≥90
Durată de viață	50.000h
Dimabil	Depending on driver da
Clasă de protecție	III
grad de protecție	IP20
EEC	F
Clasă eficiență energetică	F

Fișe tehnice - Continuare

Tip iluminare	LED Strip
Surse de lumină incluse	da
Dulie lampă	LED Platine
Unghiul de radiație (°)	120
Eficiență sistem (lm/W)	90
Balast	Needs to be ordered separately
Tensiune de alimentare DC (V)	24
Tensiune de intrare DC (V)	24
Montaj	Montaj de perete Montaj pe pardoseală Montaj încadrat în plafon
Material	PVC
Lungime (mm)	5000
Lățime (mm)	10
Înălțime (mm)	3
Accesorii opționale	LID 14125--
LxBxH mm	5000x10x3
Flux luminos/m (lm/m)	1728

Desen dimensional: Marra LED banda 19,2W/m 1728lm/W 930 IP20 24VDC dim 120° 5m



Tabel articole

Descriere	Cod comandă
Marra LED banda 19,2W/m 1728lm/W 930 IP20 24VDC dim 120° 5m	LID12400
Accesorii opționale	
Alimentator cable ptr.series MARRA LED, I=0, 5m 08 STRIPS & PROFILES	LID14125