

Date tehnice pentru produs: LID15495--

Onda X 8W, 600lm, 3000K, 230V, IP20, 25°, alb

Wall and ceiling luminaire, Complete with driver, adjustable; 13 WALL & CEIL LED



Detalii produs

8W COB LED adjustable ceiling downlight, ideal for residential and commercial illumination. Complete with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.


Fișe tehnice

Lumeni (lm)	600
Culoare lumină	alb cald
Temperatura culorii (K)	3000
Indice redare culoare	≥90
Dimabil	nu
Clasă de protecție	I
grad de protecție	IP20
Tip iluminare	corp iluminat de perete iluminat pentru tavan
Surse de lumină incluse	da
Dulie lampă	LED Platine
Unghiul de radiație (°)	25
Eficiență sistem (lm/W)	75

Fișe tehnice - Continuare

Factor de putere	0,5
Putere (W)	8
Balast	LED driver
Tensiune de alimentare AC (V)	220-240
Tensiune intrare AC (V)	220-240
Curent operational mA (mA)	700
Frecvență (Hz)	50/60
Montaj	Montaj de perete Montaj încadrat în plafon
Culoare	Alb
Material	aluminiu
Înălțime (mm)	40
Diametru (mm)	78
Accesorii opționale	LID16949--
ØxH mm	78x40

Desen dimensional: Onda X 8W, 600lm, 3000K, 230V, IP20, 25°, alb



Tabel articole

Descriere	Cod comandă
Onda X 8W, 600lm, 3000K, 230V, IP20, 25°, alb	LID15495
Wall and ceiling luminaire, Complete with driver, adjustable; 13 WALL & CEIL LED	
Accesorii opționale	
Conector rapid cu orificiu traversant 32A, 2x L-N-PE	LID16949
26 ACCES&GADGETS	