

Date tehnice pentru produs: LID16655--

Testo-S LED COB 8W 320lm+100lm 36° 90 220-240V IP20 alb

Reflector must be ordered separately, ceiling luminaire; 13 WALL & CEIL LED



Detalii produs

8W COB LED Cylinder with SMD backlit LED with exchangeable reflectors. Reflector must be order separately.
 Complete with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Fișe tehnice

Lumeni (lm)	420
Culoare lumină	alb cald
Temperatura culorii (K)	3000
Indice redare culoare	≥90
Dimabil	nu
Clasă de protecție	I
grad de protecție	IP20
Tip iluminare	iluminat pentru tavan
Surse de lumină incluse	da
Dulie lampă	LED Platine
Unghiul de radiație (°)	36
Eficiență sistem (lm/W)	52
Factor de putere	0,9

Fișe tehnice - Continuare

Putere (W)	8
Balast	LED driver
Tensiune de alimentare AC (V)	220-240
Tensiune intrare AC (V)	220-240
Curent operational mA (mA)	700
Curent primar (A)	0,70
Frecvență (Hz)	50/60
Montaj	Montaj încadrat în plafon
Culoare	Alb
Material	aluminu
Înălțime (mm)	80
Diametru (mm)	70
Accesorii opționale	LID16480--; LID16482--; LID16481--
Accesorii necesare	LID16481--; LID16480--; LID16482--;
ØxH mm	70x80

Tabel articole

Descriere	Cod comandă
Testo-S LED COB 8W 320lm+100lm 36° 90 220-240V IP20 alb	LID16655
Reflector must be ordered separately, ceiling luminaire; 13 WALL & CEIL LED	
Accesorii necesare	
Reflector pt Gordi 8W alb	LID16481
Reflector; 13 WALL & CEIL LED	
Reflector pt Gordi 8W negru	LID16480
Reflector; 13 WALL & CEIL LED	
Reflector pt Gordi 8Walama	LID16482
Reflector; 13 WALL & CEIL LED	
Accesorii opționale	
Reflector pt Gordi 8W negru	LID16480
Reflector; 13 WALL & CEIL LED	
Reflector pt Gordi 8Walama	LID16482
Reflector; 13 WALL & CEIL LED	
Reflector pt Gordi 8W alb	LID16481
Reflector; 13 WALL & CEIL LED	